

Litewave™



Recessed and Semi-recessed Lighting

LITECONTROL

Litewave™ Recessed Grid

Litewave Baskets

Litewave baskets provide soft, low-glare lighting from 2 x 2, 2 x 4 and 1 x 4 recessed fixtures. The optical elements provide balanced brightness across the luminaire, while the diffuse overlay prevents direct glare. Available in either a center, dropped center, two-sided or one-sided asymmetric configuration, Litewave products are designed to meet the needs of value-driven projects.



**4" Dropped
Center Basket (L4C)**



Center Basket (LRC)



**7" Dropped
Center Basket (L7C)**

Litewave Basket Fixtures

- 2 x 2 and 2 x 4 available with a center, dropped center, two-sided and asymmetric basket
- 1 x 4 available with either a center or asymmetric basket
- Different ceiling interface components for optimized fit with 15/16" grid (G), 9/16" narrow grid (NG), screw slot (SS) or drywall (R) ceilings
- Available in a variety of lamping options

Litewave Lens

The Litewave HE recessed enclosed luminaire features the latest highly efficient lens technology. Litewave HE provides diffuse lighting from a one-piece extruded lens, with sloped sides and a rectilinear central section that adds interest and visual appeal.




Litewave HE (LHE)

Litewave Lens Fixtures

- HE lens is a one-piece extruded design
- Available in 2 x 2, 2 x 4 and 1 x 4 sizes
- All sizes available with 1-, 2-, and 3-lamp T8, T5 and T5HO
- Efficiencies of over 80%
- Cradle to Cradle Silver Certified^{CM}

Litewave™ Lens




2 x 2 or 2 x 4
(1 x 4 also available)



Litewave™ Baskets

Center Basket




2 x 2 or 2 x 4

1x4




Dropped Baskets



2 x 2 or 2 x 4
4" dropped basket

1x4




2 x 2 or 2 x 4
7" dropped basket

1x4




Side Basket



2 x 2 or 2 x 4



Asymmetric Basket



2 x 2 or 2 x 4

1x4



Fixture Style	Ceiling Grid	Size (feet)	Height Above Ceiling	Lamping	Shielding Options	Value Tier
HE Lens (LHE)	15/16" grid (G) 9/16" narrow grid (NG) Screw slot (SS) Drywall (R)	2 x 2 2 x 4 1 x 4	4"		One-piece extruded HE Lens	
Recessed Center Basket (LRC)	15/16" grid (G) 9/16" narrow grid (NG) Screw slot (SS) Drywall (R)	2 x 2 2 x 4	4 3/4"		Perforated Basket	
		1 x 4	4 1/4"			
4" Dropped Center Basket (L4C)	15/16" grid (G) 9/16" narrow grid (NG) Screw slot (SS) Drywall (R)	2 x 2 2 x 4 1 x 4	2 1/8"		Perforated Basket	
7" Dropped Center Basket (L7C)	15/16" grid (G) 9/16" narrow grid (NG) Screw slot (SS) Drywall (R)	2 x 2 2 x 4 1 x 4	3/4"		Perforated Basket	
Recessed Side Basket (LRS)	15/16" grid (G) 9/16" narrow grid (NG) Screw slot (SS) Drywall (R)	2 x 2 2 x 4	4 3/4"		Perforated Basket	
Recessed Asymmetric Basket (LRA)	15/16" grid (G) 9/16" narrow grid (NG) Screw slot (SS) Drywall (R)	2 x 2 2 x 4	4 3/4"		Perforated Basket	
		1 x 4	4 1/4"			



Visit litecontrol.com for full product details, including technical sheets, photometric data and IES files.

